



Figures S1 – S6. Coefficients of parents' age from model 3 (with father's age) by country, separate for the first period 1995-2001 and the most recent period 2010-2017

Figure S1. Coefficients of mother's age by country for first and most recent time period, outcome variable: care seeking for diarrhoea




Note: Coefficients and confidence intervals of mother's age, age categories <20 and 40+, based on country-specific regressions following column (7) in **Table 4**, panel 1 and 3.

Figure S2. Coefficients of father's age by country for first and most recent time period, outcome variable: care seeking for diarrhoea




Note: Coefficients and confidence intervals of father's age, age categories <25 and 45+, based on country-specific regressions following column (7) in **Table 4**, panel 1 and 3.

Figure S3. Coefficients of mother's age by country for first and most recent time period, outcome variable: care seeking for ARI




Note: Coefficients and confidence intervals of mother's age, age categories <20 and 40+, based on country-specific regressions following column (7) in **Table 5**, panel 1 and 3. *The confidence intervals for Guinea-Bissau (2010-2017) exceed -1 and 1, but were shorted to fit into the graph.

Figure S4. Coefficients of father's age by country for first and most recent time period, outcome variable: care seeking for ARI




Note: Coefficients and confidence intervals of father's age, age categories <25 and 45+, based on country-specific regressions following column (7) in **Table 5**, panel 1 and 3. *The confidence intervals for Guinea-Bissau (2010-2017), age group <25, exceed -1 and 1, but were shorted to fit into the graph.

Figures S5. Coefficients of mother's age by country for first and most recent time period, outcome variable: treatment with ORS



Note: Coefficients and confidence intervals of mother's age, age categories <20 and 40+, based on country-specific regressions following column (7) in **Table 6**, panel 1 and 3.

Figure S6. Coefficients of father's age by country for first and most recent time period, outcome variable: treatment with ORS



Note: Coefficients and confidence intervals of father's age, age categories <25 and 45+, based on country-specific regressions following column (7) in **Table 6**, panel 1 and 3.